## http://www.makaut.com

A two-port network is defined by the relations

CS/B/Tech: (EE/EEE/PWE/ICE) (New)/SEM-3/EE-301/2013-14

 $I_1 = 2V_1 + V_2$  and  $I_2 = 2V_1 + 3V_2$ , then  $Z_{12}$  is

c)  $-\frac{1}{2}$  ohm d)  $-\frac{1}{4}$  ohm.

The Z matrix of a 2-port network is given by  $\begin{bmatrix} 0.9 & 0.2 \\ 0.2 & 0.6 \end{bmatrix}$ . The element  $Y_{22}$  of the corresponding

Y matrix of the same network is given by

1.2

-0.4

1.8

The Fourier series of the function  $f(x) = \sin^2 x$  is v)

- $\sin x + \sin 2x$
- $1-\cos 2x$
- $\sin 2x + \cos 2x$
- $0.5 0.5 \cos 2x$ .

A rectangular pulse of duration t and magnitude I has the Laplace transform

I/s

- $(I/s)e^{sT}$
- d)  $(I/s)(1-e^{-sT})$

# 2013

# ELECTRIC CIRCUIT THEORY

Time Allotted: 3 Hours

http://www.makaut.com

Full Marks: 70

The figures in the margin indicate full marks. Candidates are required to give their answers in their own words as far as practicable.

## GROUP - A

# ( Multiple Choice Type Questions )

Choose the correct alternatives for any ten of the following:

 $10 \times 1 = 10$ 

http://www.makaut.com

- Unit step function is first derivative of **i**}
  - Ramp function
- Impulse function
- Gate function
- Parabolic function.
- A practical current source is usually represented by 11)
  - a resistance in series with an ideal current source
  - a resistance in parallel with an ideal current bì source
  - a resistance in parallel with an ideal voltage source
  - none of these.

Turn over 3056(N)

3056(N)

2

# http://www.makaut.com

CS/B.Tech/(EE/EEE/PWE/ICE)-(New)/SEM-3/EE-301/2013-14

- The Laplace transform of a delayed unit impulse function  $\delta(t-2)$  is

- viii) The convolution of f(t) and g(t) is

a) 
$$\int_{0}^{t} f(t)g(t-\tau)d\tau$$

a) 
$$\int_{0}^{t} f(t)g(t-\tau)d\tau$$
 b) 
$$\int_{0}^{t} f(\tau)g(t-\tau)d\tau$$

c) 
$$\int_{0}^{t} f(t-\tau)g(t)dt$$

c) 
$$\int_{0}^{t} f(t-\tau)g(t)dt$$
 d) 
$$\int_{0}^{t} f(t)g(t-\tau)dt$$
.


Turn over

- When applying the superposition theorem to any circuit
  - the voltage source is shorted, the current source is aì opened
  - b) the voltage source is opened, the current source is shorted
  - cl both are opened
  - both are shorted. d)
- A high-pass filter circuit is basically  $\mathbf{x}$ 
  - a differentiating circuit with low time constant a)
  - b) a differentiating circuit with large time constant
  - an integrating circuit with low time constant C)
  - an integrating circuit with large time constant. d)

http://www.makaut.com

CS/B.Tech/(EE/EEE/PWE/ICE)-(New)/SEM-3/EE-301/2013-14

The Thevenin's equivalent with respect to the terminals A and B would be only a resistance R th equal to



2·66 Ω

3·2 Ω

8Ω c)


12 Ω.

#### GROUP - B

## (Short Answer Type Questions)

Answer any three of the following.

- State and prove maximum power transfer theorem for a.c. network.
- What is time constant of an R-L series circuit and what does it signify? Explain it graphically. 2 + 3
- Find the equivalent  $\pi$ -network for the T-network as shown in the figure.



Prove that the Laplace transform of a periodic function with period  $T_0$  is equal to  $\frac{1}{1-e^{-T_0 s}}$  times the Laplace transform of the first cycle.

3056(N)

4

3056(N)

http://www.makaut.com

3

CS/B.Tech/(EE/EEE/PWE/ICE)-(New)/SEM-3/EE-301/2013-14

Draw the oriented graph of a network with fundamental cut-set matrix given below:


$$Q = \begin{bmatrix} Twigs & Links \\ 1 & 2 & 3 & 4 & 5 & 6 & 7 \\ 1 & 0 & 0 & 0 & -1 & 0 & 0 \\ 0 & 1 & 0 & 0 & 1 & 0 & 1 \\ 0 & 0 & 1 & 0 & 0 & 1 & 1 \\ 0 & 0 & 0 & 1 & 0 & 1 & 0 \end{bmatrix}$$

### GROUP - C


## (Long Answer Type Questions)

Answer any three of the following.  $3 \times 15 = 45$ 

- 7. that ABCDparameters Prove What are 7  $\Delta T = \{AD - BC\} = 1.$ 
  - Find the z-parameter for the network shown in figure below. Hence find the h-parameter for the same network.




State and explain Millman's theorem. Calculate the load 8. current I in the circuit in figure by Millman's theorem.




I Turn over

CS/B.Tech/(EE/EEE/PWE/ICE)-(New)/SEM-3/EE-301/2013-14

What is the power loss in the 10 ohm resistor? Use Thevenin's theorem in figure below:



- What is tree? Discuss with a suitable example. 2
  - A graph is shown in figure below. Find the tie-set and cut-set matrices and obtain the KCL & KVL equations [ bold lines indicate twigs and dotted lines the links.] 6



http://www.makaut.com

7

- Explain odd symmetry and even symmetry of periodic waveforms.
- Find the Fourier transform of  $f(t) = e^{-a|t|}$ . 3
- Define Fourier transform. How does Fourier transform 10. a) differ from Laplace transform?
  - What is impulse function? Find its Laplace transform. 3
  - For the square wave shown in the figure, find the c) exponential Fourier series.



6

3056(N)

http://www.makaut.com

2056/NI

http://www.makaut.com

http://www.makaut.com

-
_
_
_
_
~
-
_
_
_
_
_
_
0

CS/B.Tech/(EE/EEE/PWE/ICE)-(New	)/SEM-3	/EE-301	/2013-	14
---------------------------------	---------	---------	--------	----

- 11. a) What are the advantages of active filter over passive filter?
  - b) Design a high-pass active filter of cut-off frequency 1 kHz with a pass-band gain of 2.
  - c) Draw the circuit diagram of a first order low-pass filter and find out the expression of the cut-off frequency. 6

nup.//www.maxauc.com